

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|--|--|------------------|
| 1 | 250 | nest\$ adj2 table | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2004/03/24 09:36 |
| 2 | 32 | (nest\$ adj2 table) and (713/\$.ccls. 707/\$.ccls. 380/\$.ccls. 709/\$.ccls.) | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2004/03/24 09:38 |
| 3 | 47 | (nest\$ adj2 table) and (713/\$.ccls. 707/\$.ccls. 380/\$.ccls. 709/\$.ccls. 715/\$.ccls.) | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2004/03/24 09:39 |
| 26 | 31 | (modif\$ change concea\$ obfuscat\$ hide) adj2 (variable adj name) | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2004/03/24 13:58 |
| 28 | 3 | obfuscat\$ same rename | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2004/03/24 14:11 |
| 30 | 39 | 707/9.ccls. and renam\$ | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2004/03/24 14:12 |
| 29 | 652 | 707/9.ccls. | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2004/03/24 14:27 |
| 31 | 962 | obfuscat\$ | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2004/03/24 14:27 |
| 32 | 416 | obfuscat\$ and variable | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2004/03/24 14:28 |
| 33 | 30 | obfuscat\$ same variable | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2004/03/24 14:28 |

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|--------------------------|--|------------------|
| 34 | 5 | software adj obfuscat\$ | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2004/03/24 14:48 |
| 35 | 2 | obfuscat\$ adj software | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2004/03/24 14:49 |
| 36 | 81 | obfuscat\$ same software | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2004/03/24 14:55 |
| 37 | 158 | 713/194.ccls. | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2004/03/24 14:56 |

[Advanced Search](#)[Preferences](#)[Language Tools](#)[Search Tips](#)

obfuscation rename 1999

Google Search

[Web](#) - [Images](#) - [Groups](#) - [Directory](#) - [News](#)Searched the web for **obfuscation rename 1999**.Results **1 - 10** of about **818**. Search took **0.23** seconds.**[PDF] Obfuscation of Design Intent in Object-Oriented Applications**

File Format: PDF/Adobe Acrobat

... same signature (same name and order and types of arguments), we **rename** one of ... Various low-level **obfuscation** techniques (eg opaque pred- icates [7]) can be used ...portal.acm.org/ft_gateway.cfm?id=947399&type=pdf&dl=portal&dl=ACM&CFID=11111111&CFTOK... - [Similar pages](#)**[PDF] Obfuscation of Design Intent in Object-Oriented Applications**File Format: PDF/Adobe Acrobat - [View as HTML](#)... may be a giveaway of the fact that class coalescing **obfuscation** was used. ... refactoring tech- niques Add Parameter, Move Field, Move Method, and **Rename Method** [11 ...isis.poly.edu/projects/obfuscator/docs/pubs/drm2003.pdf - [Similar pages](#)**[perlfunc:rename \[239 perlfunc\]](#)**

... on Aug 24, 1999 at 14:42 GMT+8 (print w/ replies, xml), Need Help??

rename. Perl documentation on this site is out dated. You might ...perlmonks.thepen.com/perlfunc:rename.html - 7k - [Cached](#) - [Similar pages](#)**[How do I recursively process files through directories \[847 ...](#)**... newFile =~ s/foo/bar/; **rename** (\$file,\$newFile) }. [reply]. Re: How do I recursively process files through directories by Anonymous Monk on Nov 18, 1999 at 16:17 ...perlmonks.thepen.com/847.html - 39k - [Cached](#) - [Similar pages](#)[\[More results from perlmonks.thepen.com \]](#)**[WIN2KSECADVICE archives -- November 1999, week 1 \(#17\)](#)**... Date: Wed, 3 Nov 1999 04:18:25 -0600 Reply-To ... **Rename** this to handsafe.reg, and then double-click to ... or POST request, and may use some **obfuscation** techniques on ...

listserv.ntsecurity.net/scripts/wa-ntsecurity.exe?A2=ind9911a&L=win2ksecadvice&F=&S=&P=2191 - 29k -

[Cached](#) - [Similar pages](#)**[\[PS\] University of](#)**File Format: Adobe PostScript - [View as Text](#)

... September 29, 1999. Pro ject Ideas Copyright. c fl 1999 C. Collberg. Assignmen

tl. ... 9. Adv. anced. name de-**obfuscation**. T ak. e the. ... going. to **rename**. x19 to? ffl

Can. ...

www.cs.arizona.edu/~collberg/Teaching/ 620/1999/Handouts/Handout-11.ps - [Similar pages](#)**[\[PDF\] Self-Protecting Mobile Agents Obfuscation Techniques Evaluation ...](#)**File Format: PDF/Adobe Acrobat - [View as HTML](#)1 Self-Protecting Mobile Agents **Obfuscation** Techniques Evaluation Report Lee Badger

Larry D'Anna Doug Kilpatrick Brian Matt Andrew Reisse Tom Van Vleck NAI ...

opensource.nailabs.com/jbet/papers/obfeval.pdf - [Similar pages](#)**[CodeShield\(tm\) Java Byte Code Obfuscator](#)**... **Rename** Your Packages. ... numbers can be inserted as part of the package names during **obfuscation**. ... copyright© 1999-2003 CodingArt Pty Ltd (ACN 085 385 753) home ...

Description: Command-line obfuscator for Java class files. [Commercial]

Category: [Computers](#) > [Programming](#) > ... > [Development Tools](#) > [Obfuscators](#)www.codingart.com/codeshield.html - 10k - [Cached](#) - [Similar pages](#)


Optimizing JavaScript for Download Speed use javascript ...

... 2nd ed. by Jon Bentley (Addison-Wesley, **1999**) - See Column 10 ... Crunching and **Obfuscation**. ... and comments from JavaScript, it can optionally **rename** variables in ...
www.websiteoptimization.com/speed/9/ - 14k - [Cached](#) - [Similar pages](#)

Absolute Java FAQ Daily Tips: advices, tips, code, applets, java ...

... Exist a few code **obfuscation** products, one of them is JProof ... package", and JProof will be able to **rename** them and ... of their posters, all the rest © **1999**-2004 by ...
javafaq.nu/article206.html - 48k - [Cached](#) - [Similar pages](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**[Search within results](#)Dissatisfied with your search results? [Help us improve.](#)Get the [Google Toolbar](#):[Google Home](#) - [Advertising Products](#) - [Business Solutions](#) - [Services & Tools](#) - [Jobs, Press, & Help](#)

©2004 Google